
Name \_\_\_\_\_

\_\_\_\_\_ Class \_\_\_\_\_

- 1.) What does bivariate mean?
- 2.) What is the difference between quantitative or categorical/qualitative?
- 3.) What kind of data is represented in a two-way table?
- 4.) What is the difference between interpolation and extrapolation?
- 5.) A group of people looked at nutritional facts for a fast food restaurant and wanted to compare the number grams of fat in an item (*x*) to the number of calories in an item (*y*). The equation of the line of best fit turned out to be y = 12x + 194.
  - a.) What is the slope of this line?
  - b.) Explain what the slope represents in this context.
  - c.) If an item has 22 grams of fat, predict how many calories there are.
- 6.) If you were to compare the number of workers at a game factory (*x*) to the number of items produced daily (*y*), the equation of the line of best fit is y = 7x.
  - a.) What is the y-intercept of this line? \_\_\_\_\_ Explain what it represents in this context.
  - b.) What is the slope of this line? \_\_\_\_\_ Explain what it represents in this context.
  - c.) If a factory has 125 workers, how many items would you expect to be produced that day?
  - d.) If a factory produced 1,036 items that day, how many factory workers were there?

- 7.) The scatterplot below gives the percent of adults, *y* percent, that get their news from newspapers compared to television or online during *x* years since 1990.
  - a.) Find the equation of the line of best fit.

b.)



8.) Given the tables of relative frequencies below (the results of a poll of 100 adults about their favorite sport), answer the following questions.

		Favorite Sport									
		Basketball	Baseball	Tennis	Swimming						
Gender	Men	$\frac{16}{18} = 0.89$	$\frac{27}{33} = 0.82$	$\frac{5}{21} = 0.24$	$\frac{12}{28} \approx 0.43$						
Gen	Women	$\frac{2}{18} \approx 0.11$	$\frac{6}{33} = 0.18$	$\frac{16}{21} = 0.76$	$\frac{16}{28} = 0.57$						
	Total	1	1	1	1						

			Favorit	e Sport			
675		Basketball	Baseball	Tennis	Swimming	Total	
Gender	Men	$\frac{16}{60} \approx 0.27$	$\frac{27}{60} = 0.45$	$\frac{5}{60} \approx 0.08$	$\frac{12}{60} = 0.20$	1	
	Women	$\frac{2}{40} = 0.05$	$\frac{\delta}{40} = 0.15$	$\frac{16}{40} = 0.40$	$\frac{16}{40} = 0.40$	1	

- a.) What percent of basketball players are men? \_\_\_\_\_
- b.) What percent of swimmers are women?
- c.) What percent of men like baseball? \_\_\_\_\_
- d.) What percent of women like tennis? \_\_\_\_\_

9.) A survey is conducted to find out if providing nutrition information on the menu affects whether patrons recommend the restaurant to others.

Nutritional Information		NP	Р	Р	NP	NP	NP	Р	Р	NP
Customer Recommended	R	R	R	NR	R	R	R	R	R	R
Nutritional Information	NP	Р	NP	NP	Р	NP	NP	Р	P	NP

P represents provide nutritional information NP represents do not provide nutritional information R represents recommend NR represents do not recommend


a.) Construct a two-way table using the above data.

- b.) Are there greater or fewer people that are informed of the nutrition of food they eat?
- c.) Find the relative frequencies among the rows, and interpret their meanings. Round to the nearest hundredth.


d.) Find the relative frequencies among the columns, and interpret their meanings. Round to the nearest hundredth.

e.) Would you recommend that restaurant owners provide nutrition information for the menu items to their customers? Explain.

- 10.) Identify whether the given data is categorical or quantitative.
  a.) Brown, green, blue
  b.) \$1, \$2, \$3, \$4
  c.) 1 A.M., 2 A.M., 3 A.M.
- 11.) Describe the association between the bivariate data shown in each scatter plot.



12.) State the line that represents the line of best fit for each scatter plot.



13.) Identify the outlier(s) in each scatter plot.

a.)

